

ATTACHMENT A

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application.

- 1. (Currently amended) An isolated antibody that can bind to the propeptide of the Int1p protein of *Candida albicans* having the amino acid residues 1-263 of the amino acid sequence of amino acids 1-263 of SEQ ID NO:1.
 - 2. (Canceled)
- 3. (Previously Presented) The isolated antibody according to claim 1 wherein said antibody is capable of preventing the cleaving of the propertide.
- 4. (Previously Presented) Isolated antisera containing the antibody according to Claim 1.
- 5. (Withdrawn) A method of treating or preventing an infection by a microorganism expressing the Int1p protein comprising administering an effective amount of the antibody according to claim 1 to a human or animal patient.
- 6. (Withdrawn) A method according to claim 5 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces cerevisiae*.

- 7. (Withdrawn) A method according to claim 5 wherein the antibody is raised to a portion of the propertide of Int1p effective to generate an immune response.
- 8. (Withdrawn) A method for treating patients exposed to *Candida albicans* in the presence of heparin, the method comprising:

administering the antibody according to claim 1 to a human or animal patient in an amount effective to bind with the heparin and to reduce or eliminate the activation of the Int1p protein.

- 9. (Previously Presented) A pharmaceutical composition comprising the isolated antibody according to claim 1 and a physiologically acceptable carrier, vehicle or diluent.
 - 10. (Canceled)
- 11. (Previously Presented) A diagnostic kit comprising the antibody according to claim 1 and means for detecting binding by that antibody.
 - 12. (Canceled)
 - 13. (Canceled)

- 14. (Canceled)
- 15. (Canceled)
- 16. (Withdrawn) A method of treating or preventing an infection by a microorganism expressing the Int1p protein comprising administering an effective amount of the antibody according to claim 12 to a human or animal patient.

17. (Canceled)

- 18. (Withdrawn) An isolated peptide selected from the group consisting of the propertide region at amino acids 1-263, the Catalytic domain 1 at amino acids 435-639, the Catalytic domain 2 at amino acids 738-949, and the Processing domain motif at amino acids 1022-1236 of the amino acid sequence depicted in Fig. 1.
- 19. (Withdrawn) A method of generating an antibody comprising introducing a peptide according to claim 18 in a host capable of generating antibodies thereto.
- 20. (Withdrawn) An isolated nucleic acid sequence coding for the peptide according to claim 18.
- 21. (Withdrawn) A method of inducing an immunological response comprising administering to a patient a peptide according to claim 18.

- 22. (Withdrawn) A vaccine comprising a peptide according to claim 18 in an amount effective to generate an immunological response.
- 23. (Previously Presented) The isolated antibody according to claim 1 wherein said antibody is a monoclonal antibody.
- 24. (Withdrawn) A method of diagnosing an infection by a microorganism capable of expressing an Int1p protein comprising introducing an antibody according to claim 12 into a sample suspected of having an infection by an Int1p-producing microorganism and determining the binding of said antibody to said sample.
- 25. (Withdrawn) A method according to claim 24 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces* cerevisiae.
- 26. (Withdrawn) A method of treating or preventing infections caused by microorganisms expressing the Int1p protein comprising administering an effective amount of an agent that inhibits Int1p activity.
- 27. (Withdrawn) A method according to claim 26 wherein the agent modulates a peptide region or motif from the Int1p protein which is involved in the pathway of activation for the Int1p protein.

- 28. (Withdrawn) A method according to claim 26 wherein the agent modulates a peptide selected from the group consisting of the propertide region at amino acids 1-263, the Catalytic domain 1 at amino acids 435-639, the Catalytic domain 2 at amino acids 738-949, and the Processing domain motif at amino acids 1022-1236 of the amino acid sequence depicted in Fig. 1.
- 29. (Withdrawn) A method according to claim 26 wherein the microorganism is a yeast of the *Candida* species.
- 30. (Withdrawn) A method according to claim 26 wherein the microorganism is selected from the group consisting of *Candida albicans* and *Saccharomyces* cerevisiae.
- 31. (New) The isolated antibody according to claim 1 wherein said antibody is capable of inhibiting T lymphocyte activity in a host cell.
- 32. (New) The isolated antibody according to claim 31 wherein the host cell is selected from the group consisting of epithelial and endothelial cells.